| FORM 1449* | INFORMATION DISCLOSURE STATEMENT | Docket Number: 11669.136USU1 | Application Number: 10/759,731 | |
|--|----------------------------------|---------------------------------|--------------------------------|--|
| IN AN APPLICATION (Use several sheets if necessary) | | Applicant: BOND | | |
| | | Filing Date: 01/16/2004 | Group Art Unit: 1632 | |

| EXAMINER INITIAL | DOCUMENT NO. | DATE | NAME | CLASS | SUBCLASS | FILING DATE IF APPROPRIATE |
|---------------------|--------------|------------|-------------------|-------|----------|----------------------------|
| (G) | 5,223,409 | 06/29/1993 | Ladner et al. | | | |
| <u>~</u> | 5,403,484 | 04/04/1995 | Ladner et al. | | | |
| IPE & | 5,427,908 | 06/27/1995 | Dower et al. | | | |
| - B | 5,432,018 | 07/11/1995 | Dower et al. | | | |
| EP 27 004 | 5,498,530 | 03/12/1996 | Schatz et al. | | | |
| | 5,534,615 | 07/09/1996 | Baker et al. | | | |
| & TRADEMENT | 5,580,717 | 12/03/1996 | Dower et al. | | | |
| | 5,580,723 | 12/03/1996 | Wells et al. | | | |
| | 5,591,828 | 01/17/1997 | Bosslet et al. | | | |
| | 5,658,727 | 08/18/1997 | Barbas et al. | | | |
| | 5,667,780 | 09/16/1997 | Ho et al. | | | |
| | 5,667,988 | 09/16/1997 | Barbas et al. | | | |
| | 5,702,892 | 12/30/1997 | Mulligan-Kehoe | | | |
| | 5,723,286 | 03/03/1998 | Dower et al. | | | |
| | 5,723,323 | 03/03/1998 | Kauffman et al. | | | |
| | 5,733,743 | 03/31/1998 | Johnson et al. | | | |
| | 5,750,373 | 05/12/1998 | Garrard et al. | | | |
| | 5,759,817 | 06/02/1998 | Barbas | | | |
| | 5,763,192 | 06/09/1998 | Kauffman et al. | | | |
| | 5,770,434 | 06/23/1998 | Huse | | | |
| | 5,821,337 | 10/13/1998 | Carter et al. | | | |
| | 5,834,250 | 11/10/1998 | Wells et al. | | | |
| | 5,837,242 | 11/17/1998 | Holliger et al. | | | |
| | 5,969,108 | 10/19/1999 | McCafferty et al. | | | |
| 1 | 6,054,297 | 04/25/2000 | Carter et al. | | | |
| | 6,172,197 | 01/09/2001 | McCafferty et al. | | | |

EXAMINER DATE CONSIDERED 11/27/06

| FORM 1449* INFORMATION DISCLOSURE STATEMENT | Docket Number: 11669.136USU1 | Application Number: 10/759,731 | | |
|---|---------------------------------|--------------------------------|--|--|
| IN AN APPLICATION | Applicant: BOND | | | |
| (Use several sheets if necessary) | Filing Date: 01/16/2004 | Group Art Unit: 1632 | | |

| | | | FC | REIGN PATENT DO | CUMENTS | | | |
|-----|--------|--|---|--|---------------------|-----------------------|---------------|--------|
| | | | DATE | COUNTRY | CLASS | SUBCLASS | TRANS | LATION |
| | | | | | | | YES | NO |
| 191 | EP 266 | ,032 | 04/05/1988 | Europe | | | | |
| Ÿ_ | EP 368 | ,684 | 05/16/1990 | Europe | | | | |
| | WO 92 | /03461 | 03/05/1992 | PCT | | | | |
| | WO 93 | /11161 | 06/10/1993 | PCT | | | | |
| | WO 97 | /35196 | 09/25/1997 | PCT | | | | |
| | WO 98 | /15833 | 04/16/1998 | PCT | | | | |
| | WO 99 | /46284 | 09/16/1999 | РСТ | | | | • |
| | WO 01 | /44463 | 06/21/2001 | PCT | | | | |
| 7 | WO 03 | /102157 | 06/03/2003 | PCT | | | | |
| | | Arndt, K. et Biochemistr Barbas, C. e (1996) | y, 37:12918-12926 (et al., "Selection and | cing the Dimer to Monon 1998) evolution of high-affinity | human anti-viral a | antibodies", Trends E | Biotech, 14:2 | 30-234 |
| + | | enhance aff | inity and broaden stra | ion of a neutralizing hum in cross-reactivity", <i>Proc</i> An Enrichment Method | c. Natl. Acad. Sci. | USA, 91:3809-3813 | (1994) | - |
| _ | | Proteins, 8:309-314 (1990) Bond, C. et al., "Contributions of CDR3 to V _H H Domain Stability and the Design of Monobody Scaffolds for Naïve Antibody Libraries", J. Mol. Biol., 332:649-655 (2003) Braunagel, M. et al., "Construction of a semisynthetic antibody library using trinucleotide oligos", Nucleic Acids | | | | | | |
| | , | Research, 2 | 5(22):4690-4691 (19 | | | | | |

| (911) | 1.1.218 | |
|-------------|--------------------------|---|
| EXAMINER // | DATE CONSIDERED 11 UT 10 |) |
| | | |

Date Mailed: September 24, 2004

Sheet 3 of 7

| FORM 1449* INFORMATION DISCLOSURE STATEMENT | Docket Number: Application Number: 11669.136USU1 10/759,731 | | | |
|---|---|----------------------|--|--|
| IN AN APPLICATION | Applicant: BOND | | | |
| (Use several sheets if necessary) | Filing Date: 01/16/2004 | Group Art Unit: 1632 | | |

| 6) | Chen, Y. et al., "Selection and Analysis of an Optimized Anti-VEGF Antibody: Crystal Structure of an Affinity-matured Fab in Complex with Antigen", J. Mol. Biol., 293:865-881 (1999) |
|------------|---|
| 7 | Clackson, T. et al., "Making antibody fragments using phage display libraries", Nature, 352:624-628 (1991) |
| | Connolly, J., "Analytical Molecular Surface Calculation", J. Appl. Cryst., 16:548-558 (1983) |
| | Cunningham, B. et al., "High-Resolution Epitope Mapping of hGH-Receptor Interactions by Alanine-Scanning Mutagenesis", Science, 244(4908):1081-1085 (1989) |
| | Davis, B. et al., Microbiology Including Immunology and Molecular Genetics, pp. 237, 245-47, 374 (1980) |
| | de Kruif, J. et al., "Selection and application of human single chain Fv antibody fragments from a semi-synthetic phage antibody display library with designed CDR3 regions", J. Mol. Biol., 248:97-105 (1995) |
| | de Wildt, R. et al., "Antibody arrays for high-throughput screening of antibody-antigen interactions", Nature Biotechnology, 18:989-994 (2000) |
| | Decanniere, K. et al., "A single-domain antibody fragment in complex with RNase A: non-canonical loop structures and nanomolar affinity using two CDR loops", Structure, 7:361-370 (1999) |
| .\ | Decanniere, K. et al., "Canonical antigen-binding loop structures in immunoglobulins: More structures, more canonical classes?", J. Mol. Bio., 300:83-91 (2000) |
| | Decanniere, K. et al., "Degenerate interfaces in antigen-antibody complexes", J. Mol. Bio., 313:473-478 (2001) |
| | Deng, S. et al., "Selection of Antibody Single-chain Variable Fragments with Improved Carbohydrate Binding by Phage Display", J. Biol. Chem., 269:9533-9538 (1994) |
| | Desmyter, A. et al., "Antigen specificity and high affinity binding provided by one single loop of a camel single-domain antibody", J. Biol. Chem., 276:26285-26290 (2001) |
| | Desmyter, A. et al., "Crystal structure of a camel single-domain VH antibody fragment in complex with lysozyme", Nat. Struct. Biol., 3:803-811 (1996) |
| | Desmyter, A. et al., "Three camelid VHH domains in complex with porcine pancreatic & amylase: Inhibition and versatility of binding topology" <i>The Journal of Biological Chemistry</i> , 277:23645-23650 (2002) |
| | Distenfano, M. et al., "Quantifying β-Sheet Stability by Phage Display", J. Mol. Biol., 322:179-188 (2002) |
| | Dubaquié, Y. et al., "Total Alanine-Scanning Mutagenesis of Insulin-like Growth Factor I (IGF-I) Identifies Differential Binding Epitopes for IGFBP-1 and IGFBP-3", Biochemistry, 38:6386-6396 (1999) |
| 7 | Dumoulin, M. et al., "A camelid antibody fragment inhibits the formation of amyloid fibrils by human lysozyme", Nature, 424:783-788 (2003) |
| \ Y | |

| | | | 1-1 | INC | |
|----------|-------------|-----------------|-----|-----|--|
| EXAMINER | | DATE CONSIDERED | 107 | /06 | |
| | | | V | | |

| , | FORM 1449* INFORMATION DISCLOSURE STATEMENT | Docket Number: 11669.136USU1 | Application Number: 10/759,731 | | |
|---|---|---------------------------------|-----------------------------------|--|--|
| | · · · IN AN APPLICATION | Applicant: BOND | | | |
| | (Use several sheets if necessary) | Filing Date: 01/16/2004 | Group Art Unit: 1632 | | |

| 6 | Dumoulin, M. et al., "Single-domain antibody fragments with high conformational stability", Nat. Struct. Biol., 11:500-515 (2002) |
|---|---|
| | Eigenbrot et al., "X-ray Structures of the Antigen-binding Domains from Three Variants of Humanized anti-p185 ^{HER2} Antibody 4D5 and Comparison with Molecular Modeling," <i>J. Mol. Biol.</i> , 229:969-995 (1993) |
| | Els Conrath, K. et al., "Carnel single-domain antibodies as modular building units in bispecific and bivalent antibody constructs", J. Biol. Chem., 276:7346-7350 (2001) |
| | Engels et al., "Gene Synthesis", Agnew. Chem. Int. Ed. Engl., 28:716-734 (1989) |
| | Ewert, S. et al., "Biophysical properties of camelid V _{HH} domains compared to those of human V _H 3 domains", Biochemistry, 41:3628-3636 (2002) |
| | Ewert, S. et al., "Biophysical properties of human antibody variable domains", J. Mol. Bio., 325:531-553 (2003) |
| | Ferrat, G. et al., "A peptide mimic of an antigenic loop of & human chorionic gonadotropin hormone: solution structure and interaction with a llama V _{HH} domain", <i>Biochem. J.</i> , 366:415-422 (2002) |
| | Forsberg, G. et al., "Identification of Framework Residues in a Secreted Recombinant Antibody Fragment that Control Production Level and Localization in Escherichia coli", J. Biol. Chem., 272:12430-12436 (1997) |
| | Froehler, B. et al., "Synthesis of DNA via deoxynucleoside H-phosphonate intermediates", Nucl. Acids Res., 14(13):5399-5407 (1986) |
| | Fuh, G. et al., "Requirements for Binding and Signaling of the Kinase Domain Receptor for Vascular Endothelial Growth Factor", J. Biol. Chem., 273:11197-11204 (1998) |
| | Garrard et al., "Selection of an anti-IGF-1 Fab from a Fab phage library created by mutagenesis of multiple CDR loops", Gene, 128:103-109 (1993) |
| | Gregoret, L. et al., "Additivity of mutant effects assessed by binomial mutagenesis", <i>Proc. Natl. Acad. Sci. USA</i> , 90:4246-4250 (1993) |
| | Griffiths et al., "Isolation of high affinity human antibodies directly from large synthetic repertoires", The EMBO Journal, 13(14):3245-3260 (1994) |
| | Hamers-Casterman, C. et al., "Naturally occurring antibodies devoid of light chains", Nature, 363:446-448 (1993) |
| | Harmsen, M. et al., "Llama heavy-chain V regions consist of at least four distinct subfamilities revealing novel sequence features", Molecular Immunology, 37:579-590 (2000) |
| | Hawkins, R. et al., "Selection of Phage Antibodies by Binding Affinity: Mimicking Affinity Maturation", J. Mol. Biol., 226:889-896 (1992) |

| | (* | | 1 ~ - | 21.0 | |
|----------|-----|--|-------------|--------------------|-------------------|
| EXAMINER | MAX | DATE CONSIDERED | 121 | 106 | |
| | | ether or not citation is in conformance with MPEP 609; dror next communication to the Applicant. | aw line thr | ough citation if n | ot in conformance |

| FORM 1449* INFORMATION DISCLOSURE STATEMENT | Docket Number: Application Number: 11669.136USU1 10/759,731 | | |
|---|---|----------------------|--|
| IN AN APPLICATION . | Applicant: BOND | | |
| (Use several sheets if necessary) | Filing Date: 01/16/2004 | Group Art Unit: 1632 | |

| 6 | Hollinger, P. et al., "Diabodies: Small bivalent and bispecific antibody fragments", <i>Proc. Natl. Acad. Sci. USA</i> , 90:6444-6448 (1993) |
|---|---|
| | Honegger, A. et al., "Yet Another Numbering Scheme for Immunoglobulin Variable Domains: An Automatic Modeling and Analysis Tool", J. Mol. Biol., 309:657-670 (2001) |
| | Hoogenboom, H., "Overview of antibody phage-display technology and its applications", Methods Mol. Biol., 178: 1-37 (2002) |
| | Hoogenboom, "Antibody phage display technology and its applications", Immunotechnology, 4:1-20 (1988) |
| | Hoogenboom, H., "Designing and optimizing library selection strategies for generating high-affinity antibodies", Trends in Biotechnology, 15:62-70 |
| | Jackson, J. et al., "In Vitro Antibody Mutation: Improvement of a High Affinity, Neutralizing Antibody Against IL- 1β", The Journal of Immunology, 154:3310-3319 (1995) |
| | Jung, S. et al., "Selection for Improved Protein Stability by Phage Display", J. Mol. Biol., 294:163-180 (1999) |
| | Knappik, A. et al., "Fully Synthetic Human Combinatorial Antibody Libraries (HuCAL) Based on Modular Consensus Frameworks and CDRs Randomized with Trinucleotides", <i>J. Mol. Biol.</i> , 296:57-86 (2000) |
| | Kostelny, S. et al., "Formation of a Bispecific Antibody by the Use of Leucine Zippers", The Journal of Immunology", 148(5):1547-1553 (1992) |
| | Kunkel, T. et al., "Rapid and Efficient Site-Specific Mutagenesis without Phenotypic Selection", Methods in Enzymology, 154:367-382 (1987) |
| | Ladner, R. et al., "Novel frameworks as a source of high-affinity ligands", Curr. Opin. Biotechnol., 12:406-410 (2001) |
| | Lee et al., "The Interpretation of Protein Structures: Estimation of Static Accessibility", J. Mol. Biol., 55:379-400 (1971) |
| | Lowman, H. et al., "Monovalent Phage Display: A Method for Selecting Variant Proteins from Random Libraries", Methods: A Companion to Methods in Enzymology, 3:205-216 (1991) |
| | Lowman, H. et al., "Selecting High-Affinity Binding Proteins by Monovalent Phage Display", Biochemistry, 30:10832-10838 (1991) |
| | Morrison, K. et al., "Combinatorial alanine-scanning", Current Opinion in Chemical Biology, 5:302-307 (2001) |
| | Muyldermans, S., "Single domain carnel antibodies: current status", Journal of Biotechnology, 74(4):277-302 (2001) |
| V | Muyldermans, S. et al., "Sequence and structure of VH domain from naturally occurring camel heavy chain immunoglobulins lacking light chains", <i>Protein Eng.</i> , 7:1129-35 (1994) |

| | 1 1 1 1 |
|--|---|
| EXAMINER UU A | DATE CONSIDERED 11/27/06 |
| EXAMINER: Initial if reference considered, whether or not citation is in c and not considered. Include copy of this form for next communication to | onformance with MPEP 609; draw line through citation if not in conformance the Applicant. |

| FORM 1449* INFORMATION DISCLOSURE STATEMENT | Docket Number: 11669.136USUI | Application Number: 10/759,731 | | |
|---|---------------------------------|-----------------------------------|--|--|
| IN AN APPLICATION | Applicant: BOND | | | |
| (Use several sheets if necessary) | Filing Date: 01/16/2004 | Group Art Unit: 1632 | | |

| 6 | Nieba, L. et al., "Disrupting the hydrophobic patches at the antibody variable/constant domain interface: improved in vivo folding and physical characterization of an engineered scFv fragment", Protein Engineering, 10(4):435-444 (1997) |
|---|---|
| | O'Neil, K. et al., "Phage display: protein engineering by directed evolution", Current Opinion in Structural Biology, 5:443-449 (1995) |
| | Pacios, L. et al., "ARVOMOL/CONTOUR: molecular surface areas and volumes on personal computers," Computers Chem., 18(4):377-386 (1994) |
| | Pacios, L., "Variations of Surface Areas and Volumes in Distinct Molecular Surfaces of Biomolecules", Journal of Molecular Modeling, 1: 46-53 (1995). |
| | Pack, P. et al., "Miniantibodies: Use of Amphipathic Helices to Produce Functional, Flexibly Linked Dimeric F _V Fragments with High Avidity in <i>Escherichia coli</i> ", <i>Biochemistry</i> , 31(6):1579-1584 (1992) |
| · | Plückthun, A., "Antibodies from Escherichia coli", The Pharmacology of Monoclonal Antibodies, Vol. 113, Rosenburg and Moore eds. Springer-Verlag, New York, pp. 269-315 (1994) |
| | Rader, C. et al., "Phage display of combinatorial antibody libraries", Curr. Opin. Biotechnol., 8:503-508 (1997) |
| | Renislo, J. et al., "Solution Structure and Backbone Dynamics of an Antigen-Free Heavy Chain Variable Domain (VHH) from Llama", Proteins, 47(4)546-555 (2002). |
| | Sheriff, S. et al., "Redefining the minimal antigen-binding fragment", Nat. Struct. Biol., 3:733-736 (1996) |
| | Sidhu, S. et al., "High Copy Display of Large Proteins on Phage for Functional Selections", J. Mol. Biol., 296:487-495 (2000) |
| | Sidhu, S. et al., "Phage Display for Selection of Novel Binding Peptides", Methods in Enzymology, 328:333-363 (2000) |
| | Sidhu, S., Phage Display in Pharmaceutical Biotechnology", Curr. Opin. Biotechnol., 11:610-616 (2000) |
| | Skerra, A. et al., "Assembly of a Functional Immunoglobulin F _V Fragment in Escherichia coli", Science, 240:1038-1041 (1988) |
| | Skerra, A., "Engineered protein scaffolds for molecular recognition", Journal of Molecular Recognition, 13:167-187 (2000) |
| | Smith, G. et al., "Filamentous Fusion Phage: Novel Expression Vectors that Display Cloned Antigens on the Virion Surface", Science, 228:1315-1317 (1985) |
| V | Spinelli, S. et al., "The crystal structure of a llama heavy chain variable domain", Nature Structural Biology, 3(9):752-757 (1996) |

EXAMINER MAN DATE CONSIDERED 11/27/06

| FORM 1449* INFORMATION DISCLOSURE STATEMENT | Docket Number: 11669.136USU1 | Application Number: 10/759,731 | |
|---|---------------------------------|-----------------------------------|--|
| IN AN APPLICATION | Applicant: BOND | | |
| (Use several sheets if necessary) | Filing Date: 01/16/2004 | Group Art Unit: 1632 | |

| 6 | Spinelli, S. et al., "Lateral recognition of a dye hapten by a llama VHH domain", J. Mol. Bio., 311:123-129 (2001) |
|---|---|
| 1 | Tanha, J. et al., "Selection by phage display of llama conventional V(H) fragments with heavy chain antibody V(H)H properties", J. Imm. Meth., 263:97-109 (2002) |
| | Ulrich, H. et al., "Expression studies of catalytic antibodies", Proc. Nat'l Acad. Sci. USA., 92:11907-11911 (1995) |
| | Vajdos, F. et al., "Comprehensive functional maps of the antigen-binding site of an anti-ErbB2 antibody obtained with shotgun scanning mutagenesis", J. Mol. Bio., 320:415-428 (2002) |
| | van der Linden, R. et al., "Induction of immune responses and molecular cloning of the heavy chain antibody repertoire of Lama glama", J. Imm. Meth., 240:185-195 (2000) |
| | Vaughan et al., "Human Antibodies with Sub-nanomolar Affinities Isolated from a Large Non-immunized Phage Display Library", Nat. Biotech, 14:309-314 (1996) |
| | Vranken, W. et al., "Solution structure of a llama single-domain antibody with hydrophobic residues typical of the VH/VL interface", <i>Biochemistry</i> , 41:8570-8579 (2002) |
| | Weiss, G. et al., "Rapid mapping of protein functional epitopes by combinatorial alanine scanning", Proc. Natl. Acad. Sci. USA, 97(16):8950-8954 (2000) |
| | Wells et al., "Rapid evolution of peptide and protein binding properties in vitro", Curr. Opin. Struct. Biol., 3:355-362 (1992) |
| | Wiesmann, C. et al., "Crystal Structure at 1.7 Å Resolution of VEGF in Complex with Domain 2 of the Flt-1 Receptor", Cell, 91:695-704 (1997) |
| | Wu, T. et al., "Length distribution of CDRH3 in antibodies", Proteins, 16, 1-7 (1993) |
| | Yelton, D. et al., "Affinity Maturation of the BR96 Anti-Carcinoma Antibody by Codon-Based Mutagenesis", J. Immunol., 155:1994-2004 (1995) |
| | Zapata, G. et al., "Engineering linear F(ab') ₂ fragments for efficient production in <i>Escherichia coli</i> and enhanced antiproliferative activity", <i>Protein Eng.</i> , 8(10):1057-1062 (1995) |
| | Zhu, Z. et al., "Remodeling domain interfaces to enhance heterodimer formation", Protein Science, 6:781-788 (1997) |
| | |

23552
PATENT TRADEMARK OPPICE

| | | 112 | 1.16 8 | |
|------------------|-----------------|--------|--------|---|
| EXAMINER / / / (| DATE CONSIDERED | 111/27 | 106 | (|
| | | | | |

| Date Mailed: December 42004 | OIPE | She | et 1 of 1 |
|--|--------------|------------------------------|--------------------------------|
| FORM 1449* INFORMATION DISCLOSURE STATEMEN | رة القار | poket Number: 669.136USU1 | Application Number: 10/759,731 |
| IN AN APPLICATION | | oplicant: BOND | • • |
| (Use several sheets if necessary) | PANEMARY FIL | ling Date: 01/16/2004 | Group Art Unit: 1632 |

| | | - | | | | | ····· |
|-----------------------|---|-------------------------------------|---|---------------------------------|--|--------------------------------|------------------|
| U.S. PATENT DOCUMENTS | | | | | | | |
| EXAMINER INITIAL | DOCUMENT NO. | DATE | NAME | CLASS | SUBCLASS | | DATE OPRIATE |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | <u> </u> | | |
| | | | | _ | | | |
| | | | | | | | |
| | , | | | | | | |
| | l | FOR | EIGN PATENT DOCUM | ENTS | | · · | |
| | POCHMENTANO | DATE | COUNTRY | CLASS | SUBCLASS | TRANS | LATION |
| | DOCUMENT.NO. | DATE | COUNTRY | CLASS | SOBCLASS | | |
| | | | | | | YES | NO |
| 6 | WO 00/24884 | 05/04/2000 | PCT | | | | |
| | WO 00/77194 A1 | 12/21/2000 | PCT | | | | |
| V | WO 01/90190 A2 | 11/29/2001 | PCT | | | | |
| | | | | | | | |
| | ОТНЕІ | R DOCUMENTS | S (Including Author, Title, | Date, Pertinent I | Pages, Etc.) | | |
| (6) | | | ection and identification of , Vol. 414, pp. 521-526 (19 | | ntibody fragments | from camel he | eavy-chain |
| | Presta, L Therapy | et al., "Humaniz of Solid Tumors | ation of an Anti-Vascular E | Endothelial Grover Research, Vo | wth Factor Monocl ol. 57, pp. 4593-45 | onal Antibody 99 (October 1 | for the 5, 1997) |
| | Sidhu, S. et al., "Phage-displayed Antibody Libraries of Synthetic Heavy Chain Complementarity Determining Regions," J. Mol. Biol., Vol. 338, pp. 299-310 (2004) | | | | | | ermining |
| | Tanha, J. et al., "Optimal Design Features of Camelized Human Single-domain Antibody Libraries," The Journal of Biological Chemistry, Vol. 276, No. 27, Issue of July 6, pp. 24774-24780 (2001) | | | | | | The Journal |

23552
PATENT TRADEMARK OFFICE

| 1997 | | | . 7 | 1 | |
|------------|-----------------|---|-----|----|---------|
| EXAMINER / | DATE CONSIDERED | | 121 | II | () 6 |
| | | _ | T | | 11 16 1 |

| PE | | NFORMATION DISCLOSURE STATEMENT | | | 1 | | | 10/759,731 | | | |
|----------|----------------|------------------------------------|---|--|-----------------------------------|---------------------------------|---------|--------------------|-------------------|--|--|
| | E | IN AN APPLICATION | | | Applicant: BO | ND | | | | | |
| 3 1 2005 | 5 별 | (Use several sheets if necessary) | | | Filing Date: 01 | /16/2004 | Grou | p Art Unit: 10 | 532 | | |
| | | | | | | | | | | | |
| | MINER ITIAL | DOCUMENT NO. | DATE | NAME | CLASS | SUBCLA | ASS | FILING IF APPRO | | | |
| 1 | 97 | 5,565,332 | 10/15/1996 | Hoogenboom et al. | | | | | | | |
| | í | 5,780,279 | 07/14/1998 | Matthews et al. | | | | | | | |
| | | 5,962,255 | 10/05/1999 | Griffiths et al. | | | - | | | | |
| | | 6,040,136 | 03/21/2000 | Garrard et al. | | | • | | | | |
| | | 6,057,098 | 05/02/2000 | Buechler et al. | | | | | | | |
| | | 6,096,551 | 08/01/2000 | Barbas et al. | | | - | | | | |
| 8 | 1 | 6,140,471 | 10/31/2000 | Johnson et al. | | | | | | | |
| | | | FO | REIGN PATENT DOC | UMENTS | • | | | | | |
| | | | DATE | COUNTRY | CLASS | SUBCLA | ASS | TRANS | LATION | | |
| | | | | | | | | YES | NO | | |
| 16 | WO 92 | /01047 |)1/23/1992 | PCT | | | | | | | |
| Y | WO 92 | /20791 | 11/26/1992 | PCT | | | | | | | |
| | WO 93 | /11236 | 06/10/1993 | PCT | | | | | | | |
| 1 | WO 99 | /06587 | 02/11/1999 | PCT | | | | | | | |
| | | OTH | IER DOCUMENT | S (Including Author, Tit | le, Date, Pertiner | it Pages, Etc.) | | | | | |
| 100 | Ì | Dall'Acqua, W | . et al., "Antibody | Engineering", Current O | pinion in Structur | ral Biology, 8: | 443-45 | 0 (1998) | | | |
| ſ | | de Kruif, J. et a Phage Display | l., "Leucine Zipper Library", <i>The Journ</i> | Dimerized Bivalent and nal of Biological Chemis | Bispecific scFv Ary, 271(13):7630 | Antibodies fro 9-7634 (1996) | m a Se | mi-synthetic | Antibody | | |
| | | Glockshuber, R 29:1362-1367 | | rison of Strategies to Stal | oilize Immunoglo | bulin F _v -Fragi | ments", | , Biochemisti | ッ. | | |
| 1 | | Hoogenboom, Gene Segments | H. et al., "By-passi Rearranged in Vit | ng Immunisation: Humar ro", J. Mol. Biol., 227:38 | Antibodies from 1-388 (1992) | Synthetic Re | pertoir | es of Germli | ne V _H | | |

23552 PATENT TRADEMARK OFFICE

EXAMINER DATE CONSIDERED 1112 7 06

Date Mailed: July 11, 2005

Sheet I of I

| FORM 1449* INFORMATION DISCLOSURE STATEMENT | Docket Number: 11669.136USU1 | Application Number: 10/759,731 | | | |
|---|---------------------------------|-----------------------------------|--|--|--|
| IN AN APPLICATION | Applicant: BOND | Applicant: BOND | | | |
| (Use several sheets if necessary) | Filing Date: 01/16/2004 | Group Art Unit: 1632 | | | |

| EXAMINER DOCUMENT NO. 6,696,245 B2 | | DATE | NAME | CLASS | SUBCLASS | FILING DATE IF APPROPRIATE | | | |
|------------------------------------|--------------|-------------|---------------------------------------|-----------------|--------------|-------------------------------|---------------------------------------|--|--|
| | | 02/24/2004 | WINTER ET AL. | | | | | | |
| V. | 6,846,634 B1 | 01/25/2005 | TOMLINSON ET AL. | | | | | | |
| <u> </u> | | | | | | ļ. | | | |
| | | | | | | | | | |
| | | • | | | | | | | |
| | | | | 1 | | | | | |
| | | | | | | | · · · · · · · · · · · · · · · · · · · | | |
| | <u> </u> | FOI | REIGN PATENT DOCUM | IENTS | | <u></u> | | | |
| | | DATE | COUNTRY | CLASS | SUBCLASS | TRANSLAT | | | |
| | | | | | | YEŞ | NO | | |
| | | | | | | | | | |
| | | • | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | OTH | ER DOCUMENT | S (Including Author, Title, | Date. Pertinent | Pages, Etc.) | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | - | | | • | | | |
| | | | · · · · · · · · · · · · · · · · · · · | | | • | | | |

23552

| FXA | MINER |
|-----|-------|

DATE CONSIDERED

| FORM 1449 INFORMATION DISCLOSURE STATEMENT | Docket Number: Application Number: 11669.136USU1 10/759,731 | | |
|--|---|----------------------|--|
| AUS 2 2 2005 R) IN AN APPLICATION | Applicant: BOND | | |
| (Use several sheets if necessary) | Filing Date: 01/16/2004 | Group Art Unit: 1632 | |

| EXAMINER INITIAL | | DOCUMEN NO. | T DATE | NAME | CLASS | SUBCLASS | FILING DATE IF APPROPRIATE | | |
|---------------------|--------------|----------------|--------------------|-----------------------------|--------------------|---------------|-------------------------------|-----|--|
| | | | | | | | | | |
| | | | | | | · | | | |
| | | | | | | · | ļ | . • | |
| | | | | | | | ļ | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | F | OREIGN PATENT DOCU | JMENTS | | | | |
| | DOCU | MENT NO. | DATE | COUNTRY | CLASS | SUBCLASS | TRANSLATION | | |
| | | | | | | | YES | NO | |
| Q | 0 628 639 A1 | | 12/14/1994 | · EP | | | | | |
| | | | | | | - | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | , | O | THER DOCUMEN | NTS (Including Author, Titl | e, Date, Pertinent | Pages, Etc.) | | | |
| | | Copy of Supp | plementary Partial | European Search Report dat | ed July 4, 2005 | | | | |
| | | | | | | | ···· | | |
| | | | | | | | | | |

23552
PATENT TRADEMARK OFFICE

| | | <u></u> | $I \setminus$ | | | | | L | | L | | |
|----------|---|-------------|-------------------|---|--|-----------------|------|---|---|-------------|---|---|
| EXAMINER | | U | 人 | 2 | | DATE CONSIDERED | 11./ | 7 | 1 | <u> [l</u> | 6 | , |
| | _ | | | | | | | | | _ | | |